

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**





## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>4</sup> :  D21D 3/00, D21H 3/78		A1	(11) International Publication Number: <b>WO 86/ 04367</b>  (43) International Publication Date: 31 July 1986 (31.07.86)
<p>(21) International Application Number: PCT/SE85/00502</p> <p>(22) International Filing Date: 4 December 1985 (04.12.85)</p> <p>(31) Priority Application Number: 8500177-4</p> <p>(32) Priority Date: 15 January 1985 (15.01.85)</p> <p>(33) Priority Country: SE</p>		<p>(81) Designated States: AT (European patent), BE (European patent), CH (European patent), DE (European patent), DK, FI, FR (European patent), GB (European patent), IT (European patent), LU (European patent), NL (European patent), NO, SE (European patent), US.</p> <p><b>Published</b> <i>With international search report.</i></p>	
<p>(71) Applicant (for all designated States except US): SCA DEVELOPMENT AKTIEBOLAG [SE/SE]; S-851 88 Sundsvall (SE).</p> <p>(72) Inventor; and</p> <p>(75) Inventor/Applicant (for US only) : LUNDSTRÖM, Hans, Einar [SE/SE]; Alnövägen 16, S-865 00 Alnö (SE).</p> <p>(74) Agent: ILLUM, Leif-Otto; Svenska Cellulosa Aktiebolaget SCA, Kungsgatan 33, S-111 56 Stockholm (SE).</p>			

(54) Title: METHOD AT MANUFACTURE OF CARBON-COATED FIBRE MATERIAL

**(57) Abstract**

A method of manufacturing fibre material containing atomized active carbon. According to the invention, the method is carried out in aqueous suspension with the addition of a tenside.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT Austria	GA Gabon	MR Mauritania
AU Australia	GB United Kingdom	MW Malawi
BB Barbados	HU Hungary	NL Netherlands
BE Belgium	IT Italy	NO Norway
BG Bulgaria	JP Japan	RO Romania
BR Brazil	KP Democratic People's Republic of Korea	SD Sudan
CF Central African Republic	KR Republic of Korea	SE Sweden
CG Congo	LI Liechtenstein	SN Senegal
CH Switzerland	LK Sri Lanka	SU Soviet Union
CM Cameroon	LU Luxembourg	TD Chad
DE Germany, Federal Republic of	MC Monaco	TG Togo
DK Denmark	MG Madagascar	US United States of America
FI Finland	ML Mali	

Method at manufacture of carbon-coated fibre material

This invention relates to a method of manufacturing a fibre material coated with atomized particles of active carbon. Such material is used as absorption material, for example, in gas masks, protective clothing, at waste disposal and, above all, in bandages. As a component in bandages, the material absorbs bacteria and odours from infected wounds and assists in a rapid healing of the wound.

Active carbon is well-known as absorption material and is since long used in many different connections. In certain connections, however, it is an advantage if the active carbon could be available in sheet form. Proposals have been made earlier to produce such sheet form. One proposal implies that a normal rayon fabric is exposed to an atmosphere of carbon dioxide at an increased temperature of about  $300^{\circ}\text{C}$ , whereafter a partial carbonization of the fabric is brought about by heating to about  $900^{\circ}\text{C}$ . This method, however, is time-consuming and expensive, and the resulting properties of the material did not satisfy the expectations.

It further has been proposed to manufacture a fibre material coated with active carbon by a method in aqueous solution. As fibre material have been used cotton and asbestos, which were disintegrated in water and to which atomized carbon was added at heavy stirring.

The problem, however, has been to make the carbon particles adhere to the fibres. It was tried to solve this problem by adding certain binders to the aqueous solution. The effect of the binder, however, is low, and at the same time the properties of the material are affected in negative direction.

This problem is solved by the present invention in a simple and effective way.

According to the invention, the atomized active carbon is applied on a fibre material in aqueous suspension by adding a tenside to the suspension.

According to an especially important embodiment of the method according to the invention, active carbon in sheet form is produced in that the atomized carbon is applied on cellulose fibres in suspension, and that thereafter sheets are formed of the suspension.

The amount of carbon contained in the carbon - cellulose pulp mixture is 1-65%.

The amount of added tenside should be so that the tenside concentration in the fibre suspension is  $10^{-7}$  -  $10^{-1}$  %.

Suitable tensides have proved to be quaternary ammonium compounds based on dinonylphenol, for example Beroceil 564.

For measuring the absorption of the material produced an absorption test with methylene blue was used.

A certain amount of the material was shaken in a solution of methylene blue, the material was filtered off, and the colour depth of the solution was measured in a spectrophotometer.

At experiments for the manufacture of cellulose fibres coated with active carbon different pulp types were used, viz. unbleached pine sulphate pulp, bleached pine sulphate pulp, bleached birch sulphate pulp and chemi-mechanical pulp, so-called CTMP. From the different pulp types a suspension with a concentration of 3 g/l was made. The desired carbon amount was added to 1 litre of the suspension in question. To the pulp suspension a cationic tenside was added in an amount of 0,02 ml/g pulp. After careful stirring resulting in the safe wetting of all carbon, the mixture was moulded to sheet form. After the moulding, the sheet was pressed and dried on a rotary drier at 60°C for 2 hours. The results obtained are shown in the Table below.

Pulp	Charged	Real	Retent-	Absorption			Theor.	Theor.
	carbon amount	carbon amount	ion	Theor.	Theor.	Theor. porport.		
	%	%	%	mg MB/g	mg MB/g	mg MB/ g carbon	%	x)
Carbon	-		114					
Unbleached pine sulphate pulp	0 10 20 30	0 5,7 16,5 15,3	57 83 51	25				
Bleached pine sulphate pulp	0 10 20 30	0 5,9 14,8 23,8	59 74 79	20	27	84	74	
Bleached birch sulphate pulp	0 10 20 30	0 7,3 18,4 24	73 92 80	17				
CTMP	0 10 20 30	0 8 13,2 25,6	80 66 85	22				
				28	46	46	61	

x) MB = methylene blue

As is apparent from the test results, it is possible to make sheets of carbon and cellulose pulp with good retention of the carbon and without deteriorating the absorption capacity of the carbon.

The invention is not restricted to the embodiments described, but can be varied within the scope of the invention idea.

Claims

1. A method at the manufacture of fibre material containing atomized active carbon in aqueous suspension, characterized in that prior to the addition of the active carbon a tenside is added to the aqueous suspension of the fibre material.
2. A method as defined in claim 1, characterized in that the tenside is used in a concentration of  $10^{-7}$  -  $10^{-1}$  %.
3. A method as defined in claim 1 or 2, characterized in that the tenside consists of a quarternary ammonium compound of dionylphenol.
4. A method as defined in the claims 1-3, characterized in that the fibre material consists of cellulose pulp.

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)

Category *	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No
A	US, A, 3 969 268 (TOYOBO CO, LTD) 13 July 1976	
A	GB, A, 1 173 143 (THE SECRETARY OF STATE FOR DEFENSE) 3 December 1965	
A	US, A, 4 239 516 (M KLEIN) 16 December 1980	
A	US, A, 3 034 947 (J CONLISK) 15 May 1962	
A, E	EP, Al, 0 145 849 (AMERICAN CYANAMID CO) 26 June 1985	
A, E	EP, Al, 0 144 553 (AMERICAN CYANAMID CO) 29 May 1985	

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/SE85/00502

## I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) \*

According to International Patent Classification (IPC) or to both National Classification and IPC 4

D 21 D 3/00, D 21 H 3/78

## II. FIELDS SEARCHED

### Minimum Documentation Searched ?

Classification System	Classification Symbols
IPC	D 21 D 3/00; D 21 H 3/12, /66, /78, 5/00, /12, /14, /22
US CL	162:141, 142, 146, 150, 158, 164, 181, 182, 183

Documentation Searched other than Minimum Documentation  
to the Extent that such Documents are Included in the Fields Searched \*

SE, NO, DK, FI classes as above

## III. DOCUMENTS CONSIDERED TO BE RELEVANT \*

Category *	Citation of Document, <sup>11</sup> with indication, where appropriate, of the relevant passages <sup>12</sup>	Relevant to Claim No. <sup>13</sup>
Y	Chemical Abstracts, vol 82 (1975) abstract No 32714 & JP 7 466 590 (TOYO PULP CO, LTD) 27 June 1974	1-2, 4
Y	NO, A, 127 414 (RANSBURG ELECTRO-COATING CORP) 18 April 1970	1-4
Y	US, A, 3 266 973 (R P CROWLEY) 16 August 1966	1-4
A	FR, A, 2 216 377 (GHH BASEL AG) 30 August 1974	
A	US, A, 4 289 513 (THE MEAD CORP) 15 September 1981	
A	Chemical Abstracts, vol 98 (1983) abstract No 127 998 & PCT WO 82/04271 (K HOLBEK)	
		.../...

- \* Special categories of cited documents: <sup>10</sup>
- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "Z" document member of the same patent family

## IV. CERTIFICATION

Date of the Actual Completion of the International Search

1986-03-19

Date of Mailing of this International Search Report

1986-03-25

International Searching Authority

Swedish Patent Office

Signature of Authorized Officer

*Agneta Österman Wallin*  
Agneta Österman Wallin

MJ